






# MODEL HYBRYDA



!!! Uwaga !!!

W przypadku kilkudniowej bezsłonecznej pogody oraz niskiego pułapu chmur, całodziennych mgieł ( gdzie ilość energii zasilającej jest poniżej 200 w/m<sup>2</sup>/h ) może zmieniać się czas pracy lampy zgodnie ze specyfikacją a także możliwe jest czasowe wyłączenie się lampy .

Typ	HYBRYDA 50/520/4
Moc żarówki LED -	4x20-50 W
Strumień świetlny -	4x2000-5000 lm
Wysokość źródła światła -	6 m
Czas autonomii -	Do 3 dni
Przybliżony czas pracy -	8-14 h*
Moc panela -	2x260W-poli
Typ akumulatora -	Żelowy
Pojemność akumulatora -	2x120 Ah
Moc turbiny oś pozioma	400w
Tryb załączenia -	Czujnik zmierzchowy + system ściemniania + programator czasu pracy









The bench is made of wood and is  
 supported by a metal archway. The  
 archway is made of wrought iron  
 and has a decorative top. The bench  
 is located in a garden with trees  
 and bushes.

The bench is made of wood and is  
 supported by a metal archway. The  
 archway is made of wrought iron  
 and has a decorative top. The bench  
 is located in a garden with trees  
 and bushes.

The bench is made of wood and is  
 supported by a metal archway. The  
 archway is made of wrought iron  
 and has a decorative top. The bench  
 is located in a garden with trees  
 and bushes.

The bench is made of wood and is  
 supported by a metal archway. The  
 archway is made of wrought iron  
 and has a decorative top. The bench  
 is located in a garden with trees  
 and bushes.